

# TECHNICAL DATASHEET MO23105

Ref. MO23105

#### Non Reusable







#### FFP1 NR D



## The +

Electrostatic filter media

Sliding elastic band : better adjustment,

without latex

Exhalation valve: reduction of breathing resistance and avoid fog inside the mask

Seal outside contours, reduces the risk of irritation

#### **PURCHASE PACKAGING**

**Référence Taille Sachet Carton** 23105 12

#### SALES PACKAGING



Individual pack

#### **DESCRIPTION**

FFP1 disposable foldable half mask made of non-woven polypropylene with exhalation valve, latex free synthetic rubber, adjustable nose clip

#### **SECTORS**

Farming, silviculture and fishing

Mining

Light Industries

Infrastructure, building industry

Construction - finishing work

DIY

#### **APPLICATIONS**

For occasional use in a very dusty environment. Protections against non-toxic solid and liquid aerosols, such as calcium carbonate, kaolin, cement, cellulose, sulfur, cotton, flour, coal, ferrous metals, vegetable oils and tender woods.

Textile industry, craft industry, metallurgical industry, mining industry, underground civil engineering, woodwork (strong woods excepted).

### **TECHNICAL FEATURES**

ColorWhiteFeaturesFFP1Weight17g

Shape Flat foldable mask with valve

Specifications FFP1 NR D

Harness features Synthetic elastic rubber (latex free)

Main risk Respiratory protection from aerosols

and non toxic dust

## STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 697918 Delivered by BSI Assurance UK Ltd (0086) Kitemark Court Davy Avenue Knowlhill Milton Keynes MK5 8PP United Kingdom



EN149:2001 / A1:2006

Particle filtering half masks

FFP1

RETAILER STAMP

MAJ 04/03/2021