

# TECHNICAL DATASHEET MO23306

Ref. MO23306

#### Non Reusable







#### FFP3 NR D



# The +

Specific design: large surface of the filtering material and reduced breathing resistance

Exhalation valve: reduction of breathing resistance and avoid fog inside the mask Complete face seal for a better heat and an optimal comfort

## **PURCHASE PACKAGING**

Référence	Taille	Sachet	Carton
23306			12

#### **DESCRIPTION**

FFP3 disposable half-mask made of polypropylene with shell and exhalation valve, aluminium nose clip, fabric and rubber elastic strap, PU foam total nose seal

#### **SECTORS**

Mining

Heavy & process industries

Chemical & pharmaceutical industries

Light Industries

Regional/public authorities

Infrastructure, building industry

Construction - finishing work

### APPLICATIONS

For occasional use in a very dusty environment. Protections against non-toxic solid and liquid aerosols, such as calcium carbonate, kaolin, cement, cellulose, sulfur, cotton, flour, coal, ferrous metals, vegetable oils and tender woods.

Textile industry, craft industry, metallurgical industry, mining industry, underground civil engineering, woodwork (strong woods excepted).

## **TECHNICAL FEATURES**

Features polyester / polypropylene SMS

Weight 18g

Shape Half mask with shell and valve

Specifications FFP3 NR D

Harness features Wide elastic straps made of fabric

Main risk Respiratory protection from toxic

aerosols and dusts

# STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 697918 Delivered by BSI Assurance UK Ltd (0086) Kitemark Court Davy Avenue Knowlhill Milton Keynes MK5 8PP United Kingdom



EN149:2001 / A1:2006 FFP3 NR D Particle filtering half masks

RETAILER STAMP

MAJ 04/03/2021