

DIAMOND V UP



ABS SAFETY HELMET "BASEBALL CAP" SHAPE + CHIN ATTACHMENT - ROTOR ADJUSTMENT

Ref. DIAMOND5UP



Product specifications

ABS safety helmet with innovative design. Tested in "reverse" position. Polyamide cradle: 3 fabric bands with 8 attachment points. Foam sweat band. Rotor clamping system : head size 53 to 63 cm. 2 possible positions around the head (high/low) for better comfort. Retro-reflective band. Electrical insulation 1000 VAC/1500 VDC. Sold with 4 points chinstrap.

Performance -30°C and standard EN397:2012 effective from 03/2016 production batches.

COLOUR

White, Blue, Yellow, Orange, Red, Green

SIZE

Adjustable

Product Use - Risks



Heat



Electrical



Shock



Construction / Civil engineering



Heavy industry



Oil / Gas

Product's highlights & user's benefits



One-D Rotor ergonomic clamping system

One-handed adjustment with or without gloves



Retro-reflective tapes

To be better seen at your workstation



Polyamide cradle : 3 fabric bands with 8 attachment points

Comfort of use guaranteed

DELTA INNOVATION

Certifications and Standards



REGULATION (EU) 2016/425

EN397:2012 + A1:2012 Protective helmets for industry

MM: Molten metal spray

LD: Lateral deformation

-30°C +50°C: Use : Very low temperature - -30°C / +50°C

440VAC: Electric insulation



EN50365:2002 Electrically insulating helmets for use on low voltage installations

CLASS 0: Electrically insulating helmets - Class 0

References

References	Bar code	COLOUR	SIZE		
DIAM5UPBCFL	3295249194116	White	Adjustable	20	-
DIAM5UPBLFL	3295249194130	Blue	Adjustable	20	-
DIAM5UPJAFI	3295249194147	Yellow	Adjustable	20	-
DIAM5UPORFL	3295249236991	Orange	Adjustable	20	-
DIAM5UPROFL	3295249194123	Red	Adjustable	20	-
DIAM5UPVEFL	3295249218409	Green	Adjustable	20	-